WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: A01N 59/00, A61L 2/18, C11D 3/48 // (A01N 59/00, 61:00, 59:00)

A1

(11) International Publication Number:

WO 98/57544

(43) International Publication Date:

23 December 1998 (23.12.98)

(21) International Application Number:

PCT/GB98/01599

(22) International Filing Date:

16 June 1998 (16.06.98)

(30) Priority Data:

9712680.9

18 June 1997 (18.06.97)

GB

(71) Applicant (for all designated States except US): RECKITT & COLMAN PRODUCTS LIMITED [GB/GB]; 67 Alma Road, Windsor, Berkshire SL4 3HD (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): HARRISON, Neale, Mark [GB/GB]; 27 Cromwell Close, Tutbury, Burton on Trent, Staffordshire DE13 9HZ (GB). FOX, Rodney, Thomas [GB/GB]; 30 South Street, Cottingham HU16 4AS (GB). GOREHAM, Philip, William [GB/GB]; 24 Lancelot Court, Victoria Dock, Hull HU9 1QD (GB). THACKER, Simon [GB/GB]; 22 Monroe Close, Lambwath Road, Hull HU8 0AX (GB).

(74) Agents: ILOTT, Elizabeth, Anne et al.; Reckitt & Colman plc, Group Patents Dept., Dansom Lane, Hull HU8 7DS (GB).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, GW, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: IMPROVEMENTS IN OR RELATING TO DISINFECTING MATERIALS

(57) Abstract

The invention provides a system for disinfecting a germ carrying body which system comprises two components wherein the first component comprises a disinfectant precursor and the second component comprises a compound which, on admixture with the first component, reacts with the precursor to form a disinfectant; wherein either component includes a substance which exhibits a colour change after a period of time has elapsed, subsequent to the application of the material to the body, which is at least as long as the time required for the material to disinfect the body.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

nenia tria tralia trbaijan nia and Herzegovina bados gium kina Faso garia in	FR GA GB GE GH GN GR HU IE	Finland France Gabon United Kingdom Georgia Ghana Guinea Greece Hungary Ireland	LT LU LV MC MD MG MK	Lithuania Luxembourg Larvia Monaco Republic of Moldova Madagascar The former Yugoslav Republic of Macedonia	SK SN SZ TD TG TJ TM TR	Slovenia Slovakia Senegal Swaziland Chad Togo Tajikistan Turkmenistan Turkey
tralia rbaijan nia and Herzegovina bados gium kina Faso garia in	GA GB GE GH GN GR HU IE	Gabon United Kingdom Georgia Ghana Guinea Greece Hungary	LV MC MD MG MK	Luxembourg Latvia Monaco Republic of Moldova Madagascar The former Yugoslav Republic of Macedonia	SN SZ TD TG TJ TM	Senegal Swaziłand Chad Togo Tajjikistan Turkmenistan
rbaijan nia and Herzegovina bados gium kina Faso garia in	GB GE GH GN GR HU IE	United Kingdom Georgia Ghana Guinea Greece Hungary	MC MD MG MK	Larvia Monaco Republic of Moldova Madagascar The former Yugoslav Republic of Macedonia	SZ TD TG TJ TM	Swaziłand Chad Togo Tajikistan Turkmenistan
nia and Herzegovina bados gium kina Faso garia in	GE GH GN GR HU IE	Georgia Ghana Guinea Greece Hungary	MD MG MK	Monaco Republic of Moldova Madagascar The former Yugoslav Republic of Macedonia	TD TG TJ TM	Chad Togo Tajikistan Turkmenistan
bados gium kina Faso garia in	GH GN GR HU IE	Ghana Guinea Greece Hungary	MG MK	Republic of Moldova Madagascar The former Yugoslav Republic of Macedonia	TG TJ TM	Togo Tajikistan Turkmenistan
gium kina Faso garia in	GN GR HU IE	Guinea Greece Hungary	MK	Madagascar The former Yugoslav Republic of Macedonia	TJ TM	Tajikistan Turkmenistan
kina Faso garia in	GR HU IE	Greece Hungary		The former Yugoslav Republic of Macedonia	TM	Turkmenistan
garia in	HU IE	Hungary	ML	Republic of Macedonia		
in	IE	2 .	ML			
***		Ireland		Mali	TT	Trinidad and Tobago
zil	TT.		MN	Mongolia	UA	Ukraine
		Israel	MR	Mauritania	UG	Uganda
arus	IS	Iceland	MW	Malawi	US	United States of America
ada	IT	Italy	MX	Mexico	UZ	Uzbekistan
tral African Republic	JP	Japan	NE	Niger	VN	Viet Nam
go	KE	Кепуа	NL	Netherlands	YU	Yugoslavia
tzerland		Kyrgyzstan	NO	Norway	zw	Zimbabwe
e d'Ivoire		Democratic People's	NZ	New Zealand	211	Zimbabwe
neroon						
na			PT			
a			RO			
ch Republic	LC	Saint Lucia				
many	LI	Liechtenstein				
	LK	Sri Lanka				
mark	LR	Liberia	SG			
ne na a ch	roon a h Republic	roon KR KZ h Republic LC any LI nark LK	Republic of Korea KR Republic of Korea KZ Kazakstan h Republic LC Saint Lucia tany LI Liechtenstein tark LK Sri Lanka	Republic of Korea PL KR Republic of Korea PT KZ Kazakstan RO h Republic LC Saint Lucia RU any LI Liechtenstein SD nark LK Sri Lanka SE	Republic of Korea PL Poland KR Republic of Korea PT Portugal KZ Kazakstan RO Romania h Republic LC Saint Lucia RU Russian Federation any LI Liechtenstein SD Sudan hark LK Sri Lanka SE Sweden	Republic of Korea PL Poland KR Republic of Korea PT Portugal KZ Kazakstan RO Romania h Republic LC Saint Lucia RU Russian Federation any LI Liechtenstein SD Sudan lark LK Sri Lanka SE Sweden

Improvements in or relating to disinfecting materials

This invention relates to disinfecting materials and more particularly, but not exclusively, is concerned with toilet cleaners for disinfecting toilet bowls and the like.

Toilet cleaners are purchased by customers with a view to killing germs in the toilet bowl and also removing limescale and other stains. Typically, 10 conventional toilet cleaners are based on sodium hypochlorite or hydrochloric acid and, although these are effective germ killers, they do not provide any indication that germs have been killed and hence the customers cannot readily perceive that the cleaners have fulfilled their purpose in this respect.

It is an object of the present invention to provide a material which will disinfect toilet bowls and other bodies whilst also providing an indication that it has carried out its germ killing function.

20

15

According to the present invention there is provided a system for disinfecting a germ carrying body which system comprises two components wherein

the first component comprises a disinfectant precursor and

the second component comprises a compound which, on admixture with the first component, reacts with the precursor to form a disinfectant;

wherein either component includes a substance which exhibits a colour change after a period of time has elapsed, subsequent to the application of the material

30

to the body, which is at least as long as the time required for the material to disinfect the body.

Preferably, the substance exhibiting the colour change is a bleachable dye, particularly a dye which is bleachable by the disinfectant. The substance is preferably present in admixture with the first component.

Preferably the first component comprises the

10 precursor in an amount of from 0.001 to 20 %, more
preferably from 0.01 to 5 %, most preferably from 0.1
to 1 % by weight of the first component; the second
component comprises the compound in an amount of from
0.001 to 20 %, more preferably from 0.01 to 5 %, most
preferably from 0.05 to 1 %, by volume of the second
component; and one or more of the components comprises
the substance in an amount of from 0.0001 to 2 %, more
preferably from 0.001 to 0.5 %, most preferably from
0.01 to 0.1 %, by weight of the component(s) in which
the substance is present.

20

Preferably each component is in the form of an aqueous solution. Optionally each component additionally comprises additives such as stabilisers, buffers, preservatives, viscosity modifiers, perfumes and/or surfactants.

25

HEDDCID: JAKO

Suitable dyes are as follows:-

- C.I. Acid Blue 182, such as Sandolan Blue E-HRL supplied by Clariant;
- C.I. Acid Blue 80, an anthraquinone dyestuff, such as Sandolan Milling Blue N-BL;

- C.I. Reactive Blue 113, such as Drimarene Blue K3GL supplied by Clariant;
- C.I. Reactive Blue 114 such as Drimarene Brilliant
 Blue K-BL;

Azo/copper complex dyestuffs such as Cartasol Blue GDF supplied by Clariant;

Anionic azo-dyes such as Cartasol Brilliant Violet 5BF.

A suitable bleaching agent which is formable from the two components is chlorine dioxide. In this case, a suitable precursor is an alkali metal chlorite, preferably sodium chlorite which, when admixed with an acid such as hydrochloric acid, sulphamic acid or citric acid (preferably hydrochloric acid is used), generates the chlorine dioxide.

- 15

20

According to a preferred embodiment of the invention the system is in the form of a container comprising:

- a first compartment for said first component,
- a second compartment for said second component,
- a first outlet for egress of a stream of first component from said first compartment, and

a second outlet for egress of a stream of said second component from said second compartment, said outlets being arranged such that the streams impinge on one another and the first and second components become admixed together when the components are poured from the container.

For a better understanding of the invention and to show how the same may be carried into effect, reference will now be made, by way of example, to the accompanying drawing which shows a schematic cross

section through a container in accordance with the invention.

Referring to the drawing, the container is a double container comprising a first compartment 1 and a second compartment 2. The compartments 1 and 2 have separate outlets 3 and 4 at the neck of the container and the container includes a common dividing wall 5 which extends beyond the outlets 3 and 4 to form a baffle 6. Both outlets 3 and 4 are sealed by a cap 7 threadingly connected to the neck of the container. Separate first and second components are accommodated in the first and second compartments 1 and 2 and are retained by the cap 7.

In use, the cap 7 is unscrewed and the container is tilted so that a stream of the first component leaves the first compartment 1 via the first outlet 3 and a stream of the second component leaves the second compartment 2 via the second outlet 4. The baffle 6 assists in causing these streams to intermingle and form a single stream of the mixed components.

The following Example illustrates the invention.

Example

A first component comprising an aqueous solution of sodium chlorite in an amount of 1% by weight of the first component and sufficient (0.02 % by weight) of the blue dye C.I. Acid Blue 182 to provide the first component with a blue colour was introduced into the first compartment 1 of a container as shown in the drawing. A second component comprising an aqueous colourless solution of hydrochloric acid in an amount

WO 98/57544 PCT/GB98/01599

- 5 -

of 1% by volume of the second component was introduced into the second compartment 2 of the container.

On pouring some (about 20 ml which consisted of about 10 ml of each component) of the contents from the container into a toilet bowl, the streams of the first and second components intermingled to form a blue mixture prior to reaching the toilet bowl. The mixture reacted to form chlorine dioxide (ClO₂). This is an efficient germ killer and within 10 minutes it had disinfected the toilet bowl. It is known from microbiological tests that 10 minutes is a sufficient period of time for this amount of ClO₂ to disinfect a toilet bowl.

Within 15 minutes of the mixing together of the first and second components, the blue mixture had become colourless as the chlorine dioxide had completely bleached the blue dye. Thus the user could readily perceive that the material had killed the germs in the toilet bowl.

20

25

5

25

30

CLAIMS

1. A system for disinfecting a germ carrying body which system comprises two components wherein the first component comprises a disinfectant precursor and

the second component comprises a compound which, on admixture with the first component, reacts with the precursor to form a disinfectant;

wherein either component includes a substance which 10 exhibits a colour change after a period of time has elapsed, subsequent to the application of the material to the body, which is at least as long as the time required for the material to disinfect the body.

- A system according to claim 1 wherein said
 substance is a dye bleachable by the disinfectant.
- 3. A system according to claim 1 or claim 2 wherein the first component comprises the precursor in an amount of from 0.001 to 20 % by weight of the first component, the second component comprises the compound in an amount of from 0.001 to 20 % by volume of the second component and one or more of the components comprises the substance in an amount of from 0.0001 to 2 %, by weight of the component(s) in which the substance is present.


4. A system according to any one of the preceding claims wherein the precursor is an alkali metal chlorite, the compound is an acid, the disinfectant is chlorine dioxide, the substance is a bleachable dye which is in admixture with the first component, and each component is in the form of an aqueous solution.

5

- 5. A system according to any one of the preceding claims which is in the form of a container comprising:
 - a first compartment for said first component,
 - a second compartment for said second component,
- a first outlet for egress of a stream of first component from said first compartment, and
- a second outlet for egress of a stream of said second component from said second compartment, said outlets being arranged such that the streams impinge on one another and the first and second components become admixed together when the components are poured from the container.
- 6. A container according to claim 5 substantially as hereinbefore described in the accompanying drawing.

20

25



rnational Application No PCT/GB 98/01599

A. CLASSIFICATION OF SUBJECT MATTER IPC 6 A01N59/00 A61L A61L2/18 //(A01N59/00,61:00,59:00) C11D3/48 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC 6 A01N A61L C11D Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. X WO 90 08558 A (TRANS DELTA CORP) 1 - 39 August 1990 see page 5, line 21 - line 34 see page 6, line 13 - page 7, line 10 see page 7, line 33 - page 8, line 4 see page 11, line 35 - page 12, line 20 see page 14, line 23 - page 15, line 22 Y see claims 58-62,71 4-6 Υ GB 2 159 716 A (SUN COLIN HOK LING) 11 December 1985 see page 1, line 6 - line 15 EP 0 081 017 A (ALCIDE CO LTD) 5,6 15 June 1983 see page 4, line 18 - page 8, line 4 see figures 1,3,5-7,10,11 see figures 12,13 -/--Χ Further documents are listed in the continuation of box C. Patent family members are listed in annex. Special categories of cited documents: later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance earlier document but published on or after the international "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publicationdate of another citation or other special reason (as specified) involve an inventive step when the document is taken alone document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such docudocument referring to an oral disclosure, use, exhibition or ments, such combination being obvious to a person skilled in the art. document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of theinternational search Date of mailing of the international search report 9 October 1998 22/10/1998 Name and mailing address of the ISA Authorized officer European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Lamers, W Fax: (+31-70) 340-3016

SNSDOCID: ~WO

rnational Application No PCT/GB 98/01599

.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	PCT/GB 98/01599
ategory *		Relevant to claim No.
X	CHEMICAL ABSTRACTS, vol. 119, no. 26, 27 December 1993 Columbus, Ohio, US; abstract no. 273935, XP002080130 see abstract & JP 05 140590 A (MANABISU) 8 June 1993	1-3
x	US 3 355 392 A (A.CANTOR) 28 November 1967 see column 1, line 11 - line 22	1-3
(US 4 362 639 A (EOGA ANTHONY B J) 7 December 1982 see column 2, line 6 - line 22 see column 5, line 45 - line 47	1-3
(GB 2 096 162 A (WARNER LAMBERT CO) 13 October 1982 see page 1, line 49 - line 56 see page 2, line 38 - line 41	1-3
	EP 0 334 060 A (RECKITT GMBH) 27 September 1989 see page 3, line 19 - line 23	1-3
	GB 2 288 979 A (WARWICK INT GROUP) 8 November 1995 see page 1, line 3 - line 9 see page 8, line 37 - page 9, line 15	1-6
	US 4 248 827 A (KITKO DAVID J) 3 February 1981 see column 2, line 5 - line 20 see column 3, line 34 - column 4, line 58	1-6
-		

HODOOD HO

Information on patent family members

rnational Application No PCT/GB 98/01599

					1017 dB	36, 01333
	atent document d in search report		Publication date		tent family ember(s)	Publication date
WO	9008558	Α	09-08-1990	AU CA US	4969990 A 2045687 A 5389384 A	24-08-1990 28-07-1990 14-02-1995
GB	2159716	A	11-12-1985	NONE		
EP	0081017	Α	15-06-1983	NONE		
US	3355392	Α	28-11-1967	NONE		
US	4362639	A	07-12-1982	CA US US AU AU AU CA EP GB US ZA	1193167 A 1175751 A 4409118 A 4405486 A 553406 B 8219782 A 554063 B 8754582 A 1183752 A 0102418 A 2096162 A,B 4499001 A 8202235 A	10-09-1985 09-10-1984 11-10-1983 20-09-1983 17-07-1986 07-10-1982 07-08-1986 01-03-1984 12-03-1985 14-03-1984 13-10-1982 12-02-1985 25-05-1983
GB	2096162	Α	13-10-1982	AU AU AU CA EP US US US	553406 B 8219782 A 554063 B 8754582 A 1183752 A 0102418 A 4362639 A 4409118 A 4499001 A 8202235 A	17-07-1986 07-10-1982 07-08-1986 01-03-1984 12-03-1985 14-03-1984 07-12-1982 11-10-1983 12-02-1985 25-05-1983
EP	0334060	A	27-09-1989	DE AU CA DK ES	3812693 A 3132189 A 1329554 A 132489 A 2058362 T	28-09-1989 21-09-1989 17-05-1994 20-09-1989 01-11-1994

Information on patent family members

PCT/GB 98/01599

Patent document cited in search report		Publication date	Patent family member(s)		Publication date	
EP (0334060	Α		FI IE JP NO PT US DE	891278 A,B 63791 B 2022217 A 174181 B 90035 A,B 5015408 A 3931129 A	20-09-1989 14-06-1995 25-01-1990 20-12-1993 10-11-1989 14-05-1991 28-03-1991
GB 2	2288979	Α	08-11-1995	NONE		
US 4	1248827	Α	03-02-1981	CA US	1118984 A 4308625 A	02-03-1982 05-01-1982

Form PCT/ISA/210 (patent family annex) (July 1992)

name 2 of 2